PHILIPPINE BIDDING DOCUMENTS

Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

ESTABLISHMENT OF MULTI-CROP SEED PROCESSING BUILDING AT DA-INREC, DINGRAS, ILOCOS NORTE (PHASE 1)

IB No.: DA-RFO 1-2025-INFRA-032

Sixth Edition July 2020

TABLE OF CONTENTS

of Terms, Abbreviations, and Acronyms	4
Invitation to Bid	7
I. Instructions to Bidders	8
Scope of Bid	12
Funding Information	12
Bidding Requirements	12
Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	12
Eligible Bidders	12
Origin of Associated Goods	13
Subcontracts	13
Pre-Bid Conference	13
Clarification and Amendment of Bidding Documents	13
Documents Comprising the Bid: Eligibility and Technical Components	14
Documents Comprising the Bid: Financial Component	14
Alternative Bids	14
Bid Prices	15
Bid and Payment Currencies	15
Bid Security	15
Sealing and Marking of Bids	15
Deadline for Submission of Bids	16
Opening and Preliminary Examination of Bids	16
Detailed Evaluation and Comparison of Bids	16
Post Qualification	16
Signing of the Contract	17
II. Bid Data Sheet	18
V. General Conditions of Contract	21
Scope of Contract	22
Sectional Completion of Works	22
Possession of Site	22
The Contractor's Obligations	22
Performance Security	23
Site Investigation Reports	23
	of Terms, Abbreviations, and Acronyms

7.	Warranty	23
8.	Liability of the Contractor	23
9.	Termination for Other Causes	
10.	Dayworks	24
11.	Program of Work	24
12.	Instructions, Inspections and Audits	
13.	Advance Payment	24
14.	Progress Payments	24
15.	Operating and Maintenance Manuals	25
Section	V. Special Conditions of Contract	
Section	VI. Specifications	
Section	VII. Drawings	29
Section	VIII. Bill of Quantities	
Section	IX. Checklist of Technical and Financial Documents	31

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project –Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC -Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

- **SEC** Securities and Exchange Commission.
- SLCC Single Largest Completed Contract.
- **UN** United Nations.

Section I. Invitation to Bid



Republic of the Philippines **DEPARTMENT OF AGRICULTURE** Regional Field Office No. 1 Aguila Road, Sevilla, City of San Fernando, La Union Telephone No. (072) 242 1045/1046



INVITATION TO BID FOR THE ESTABLISHMENT OF MULTI-CROP SEED PROCESSING BUILDING AT DA-INREC, DINGRAS, ILOCOS NORTE (PHASE 1)

- The Department of Agriculture Regional Field Office 1 (DA-RFO 1), through the GAA FY 2025 intends to apply the sum of Four Million Pesos (PhP4,000,000.00) being the Approved Budget for the Contract (ABC) to payment under the contract for the <u>ESTABLISHMENT OF</u> <u>MULTI-CROP SEED PROCESSING BUILDING AT INREC DINGRAS, ILOCOS NORTE</u> (PHASE 1) with project identification number DA-RFO 1-2025-INFRA-032. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The DA-RFO 1 now invites bids for the above procurement project with the following details and specifications:

	DETAILS AND S	PECIFICATION	IS
Projec	ct Location: Brgy. Cali, Dingras, Ilocos	Norte	
Projec	c t Description: Establishment of 224 sq	ı.m seed proces	sing buildir
Scope	of work to be done:		
	Description	Qty	Unit
I.	General Requirement (Permits and Project Billboard)	1.00	lot
II.	Construction safety and health	1.00	lot
III.	Mobilization and demobilization	1.00	lot
IV.	Establishment of temporary facility	1.00	lot
V.	Demolition	1.00	ls
VI.	Soil Poisoning	1.00	lot
VII.	Earthworks	79.23	cu.m
VIII.	Reinforcing steel bar works	6,154.16	kg
IX.	Form works and false works	990.00	bd.ft
Х.	Concrete works (Class A)	49.79	cu.m
XI.	Masonry works	265.03	sq.m
XII.	Doors and windows work	18.00	sets
XIII.	Iron works	6,548.16	kg
XIV.	Roof works	297.72	sq.m
XV.	Plumbing works	1.00	lot
XVI.	Electrical works	1.00	lot

MINIMUM TECHNICAL PERSONNEL REQUIRED:

- 1 Project Engineer
- 1 Foreman
- 4 Skilled Workers
- 8 Unskilled Workers

- 1 Backhoe Operator
- 1 Dump Truck Operator
- 1 Payloader Operator

MINIMUM EQUIPMENT REQUIRED:

- 1 One-Bagger Mixer
- 1 Bar Cutter
- 1 Bar Bender
- 1 Welding Machine
- 1 Cut-off Machine
- 1 Set of Hand Tools
- 1 H frame rental with complete accessories
- 20 sets of Scaffolding
- 1 Dump Truck
- 1 Backhoe
- 1 Payloader

Completion of the Works is within **<u>one hundred eighty (180) calendar days</u>**. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "pass/fail" criterion as specified in the Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least seventy-five percent (75%) interest or outstanding capital stock belonging to citizens of the Philippines.

4. Prospective bidders may obtain further information from and inspect the Bidding Documents at the address given below during **office hours** at **8:00 AM** to **5:00 PM**, **Monday to Friday**.

Department of Agriculture - Regional Field Office 1 Aguila Rd., Sevilla, City of San Fernando, La Union

- 5. A complete set of Bidding Documents may be acquired by interested Bidders from **April 30**, **2024** to **May 20**, **2025** from the address given and websites below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **PhP5,000.00**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
- 6. The **DA-RFO 1** will hold a Pre-Bid Conference on **07 May 2025, 10:00 AM** at DA-RFO 1, 5th Floor Conference Room, Aguila Road, Sevilla, City of San Fernando, La Union, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated above on or before **20 May 2025**, **10:00 AM**. Late bids shall not be accepted.
- 8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

9. **Bid opening** shall be on **20 May 2025, 10:00 AM** at DA-RFO 1, 5th Floor Conference Room, Aguila Road, Sevilla, City of San Fernando, La Union. Bids will be opened in the presence of the bidders or their authorized representatives.

10. ADDITIONAL INSTRUCTIONS TO BIDDERS:

- a. The bidders or their duly authorized representatives may attend the bid opening;
- b. In case a representative will be attending the Bid Opening, a Special Power of Attorney (SPA), Secretary's Certificate, Board Resolution or any other forms of authorization (notarized), as the case may be, together with the Companyissued Identification Card or any valid ID must be presented upon submission of the bid proposal at the BAC Secretariat. The name/title of the project must be indicated in the authorization or SPA;
- c. Each Bidder shall submit one copy of the first and second components of its Bid. Bidders shall submit their bids with proper index tabbing using the forms specified in the Bidding Documents in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously;

The first component which is the Technical Eligibility requirements must be soft-bound, marked with the **name of the contract** and its **IB No., name and address of the bidder**, and enclosed in an envelope, sealed with signature and marked with the <u>name of the contract</u>, <u>name and address of the bidder</u>, addressed to the <u>BIDS</u> <u>AND AWARDS COMMITTEE (BAC) DA RFO-1 CITY OF SAN</u> <u>FERNANDO, LA UNION</u>, the <u>specific Identification No.</u> and the warning <u>"DO NOT OPEN BEFORE</u>..." the date and time for the bid opening.

The second component being the Financial requirements may be soft-bound/fastened in a folder, marked with the **name of the contract** and its **IB No., name and address of the bidder**, and enclosed in an envelope, sealed with signature and marked with the **name of the contract**, **name and address of the bidder**, addressed to the **BIDS AND AWARDS COMMITTEE (BAC) DA RFO-1 CITY OF SAN FERNANDO, LA UNION**, the **specific Identification No.** and the warning <u>"DO NOT OPEN BEFORE</u>..." the date and time for the bid opening.

The Technical and Financial Requirement each in separate envelopes, shall be enclosed in a mother envelope with the same sealing and markings.

Non-compliance with index tabbings shall not be a ground for outright disqualification or declaration of ineligibility. The improper index tabbings must be duly acknowledged by the bidder/representative and be subject to the bid evaluation and postqualification of the Technical Working Group (TWG) as to their substance.

d. All **documents** in the **Financial Requirements envelope** must be **duly signed and/or initialed**, as needed, by the bidder/authorized representative on **EACH AND EVERY PAGE** thereof.

- 11. The **DA-RFO 1** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and Section 41 of the 2016 Revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

DENNIS I. TACTAC, ABE Chairperson, Bids and Awards Committee Department of Agriculture - Regional Field Office 1 Aguila Road, Sevilla, City of San Fernando, La Union Tel. No.:(072) 242/1045-46, Ext. 07 E-mail add: bacsec@ilocos.da.gov.ph

13. For downloading of Bidding Documents, you may visit the following websites: DA-RF01 Website: <u>https://ilocos.da.gov.ph/</u> PhilGEPS Website: <u>https://www.philgeps.gov.ph/</u>

May 29, 2025

Approved by:

(Sgd.) GILBERT D. RABARA, DVM

Vice-Chairperson, Bids and Awards Committee

Invitation to Bid Identification No. DA-RFO 1-2025-INFRA-032

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, **Department of Agriculture - Regional Field Office 1 (DA-RFO 1)** invites Bids for the **ESTABLISHMENT OF MULTI-CROP SEED PROCESSING BUILDING AT DA-INREC, DINGRAS, ILOCOS NORTE** (PHASE 1) with Project Identification Number DA-RFO 1-2025-INFRA-032.

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for GAA FY 2025 in the amount of Four Million Pesos (PhP4,000,000.00).

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed:

8. **Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address,5th Floor Conference Room, Aguila Road, Sevilla, City of San Fernando, La Union indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section IX. Checklist of Technical and Financial Documents.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section IX. Checklist of Technical and Financial Documents.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until **September 17, 2025.** Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be

opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause				
5.2	For this purpose, contracts	s similar to the Pr	oject refer to c	ontracts which have
	the same major categories		hall be:	
	CONSTRUCTION OF B	UILDING		
7.1	N/A			
10.3	N/A			
10.4	The key personnel must meet the required minimum years of experience set below:			
	Key Personnel	General Experience	Relevant	t Experience
	Project Engineer	3 years	Constructio	on Supervision
	Foreman	2 years	Masonr	y/Carpentry
	Heavy Equipment Operators	1 year		oment Operation h NC II
10.5	The minimum major equip	ment requiremen	ts are the follow	wing:
		-		_
	Equipment	Capacity	No. of Units	
	Mixer	one-bagger	1	
	Bar Cutter		1	
	Bar Bender		1	
	Welding Machine		1	
	Cut-off Machine		1	
	Hand Tools		1 set	
	H frame rental w	vith	1	
	complete accessor			-
	sets of Scaffolding	<u>g</u>	20 sets	-
	Dump Truck		1	-
	Backhoe		1	-
	Payloader		1	
12	N/A			
15.1	The bid security shall be i	in the form of a F	Bid Securing D	eclaration or any of
10.1	the following forms and an			columnition of any of
			80.000.00 bid	security is in cash,
				or irrevocable letter
	of credit;	,	U	
	b. The amount of no	t less than Php20	00,000.00 bid s	security is in Surety
	Bond.			
19.2	Partial bid is not allowed.			
20	1 0			5
	Electronic Filing and Payr		PS) and other	appropriate licenses
	and permits required by lav	W.		

Bid Data Sheet

21	Additional contract documents relevant to the Project that may be required by			
	existing laws and/or the Procuring Entity, such as construction schedule and S-			
	curve, manpower schedule, construction methods, equipment utilization			
	schedule, construction safety and health program approved by the DOLE, ar			
	other acceptable tools of project scheduling.			

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
 - 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. **Performance Security**

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the SCC.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the SCC.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

14. **Progress Payments**

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the SCC.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Special Conditions of Contract

GCC Clause	
2	N/A
4.1	Schedule of construction in full shall start within <u>7 calendar days</u> from receipt of the Notice to Proceed
6	N/A
7.2	[In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures:] Fifteen (15) years
10	a. Dayworks are applicable at the rate shown in the Contractor's original Bid.
11.1	The Contractor shall submit the Program of Work (PERT-CPM, Construction Schedule, S-Curve and Construction Methods) to the Procuring Entity's Representative within 10 calendar days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is 10% of the 15% Advance Payment.
13	The amount of the advance payment is 15% of the Contract Price.
14	Materials and equipment delivered on the site but not completely put in place (Actual Accomplishment) shall <u>not</u> be included for payment.
15.1	The "as built" Drawings and/or operating and maintenance manuals shall be required prior to the final payment.
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is 10% of the final billing.

Section VI. Specifications

Section VII. Drawings

[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]

Section VIII. Bill of Quantities

Section IX. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; <u>and</u>
- (d) Special PCAB License in case of Joint Ventures;
 and registration for the type and cost of the contract to be bid; and
- (e) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 <u>or</u>

Original copy of Notarized Bid Securing Declaration; and

(f) Project Requirements, which shall include the following:

- a. Organizational chart for the contract to be bid;
- b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
- c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; **and**
- (g) Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(h) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).

Class "B" Documents

(i) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence;
 <u>or</u>

duly notarized statements from all the potential joint venture partners stating

that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

(j) Original of duly signed and accomplished Financial Bid Form; and

Other documentary requirements under RA No. 9184

- (k) Original of duly signed Bid Prices in the Bill of Quantities; and
- (1) Duly accomplished Detailed Estimates Form, including a summary shee indicating the unit prices of construction materials, labor rates, and equipmen rentals used in coming up with the Bid; **and**
- (m) Cash Flow by Quarter.







BILL OF QUANTITIES

PROJECT NAME:

Establishment of Multi-Crop Seed Processing Building (Phase 1)

PROJECT LOCATION:

DA-INREC, Cali, Dingras, Ilocos Norte

PROJECT DESCRIPTION:

Establishment of 224 sq.m seed processing building

TEM NO:	DESCRIPTION	UNIT	QUNATITY	UNIT PRICE	AMOUNT
	SCOPE OF WORK:				
1	General Requirement (Permits and Project billboard)	lot	1.00		
11	Construction safety and health	lot	1.00		
111	Mobilization and demobilization	lot	1.00		
IV	Establishment of temporary facility	lot	1.00		
V	Demolition	ls	1.00		
VI	Soil Poisoning	lot	1.00		
VII	Earthworks	cu.m	79.23		
VIII	Reinforcing steel bar works	kg	6154.16		
IX	Form works and false works	bd ft	990.00		
Х	Concrete works (Class A)	cu.m.	49.79		
XI	Masonry works	sq.m	265.03		
XII	Doors and windows work	sets	18.00		
XIII	Iron works	kg	6548.16		
XIV	Roof works	sq.m.	297.72		
XV	Plumbing works	lot	1.00		
XVI	Electrical works	lot	1.00		
			GRAN	L D TOTAL	

NUMBER OF DAYS TO COMPLETE THE PROJECT: 180 Calendar Days

TOTAL AMOUNT OF BID (IN WORDS AND FIGURES): ______




REPUBLIC OF THE PHILIPPINES

DEPARTMENT OF AGRICULTURE

REGIONAL FIELD OFFICE NO. 1 Aguila Road, Sevilla, City of San Fernando, La Union

ESTABLISHMENT OF THE MULTI-CROP SEED PROCESSING BUILDING (PHASE I)

DA-INREC DINGRAS STATION, DINGRAS, ILOCOS NORTE



REPUBLIC OF THE PHILIPPINES **DEPARTMENT OF AGRICULTURE** REGIONAL FIELD OFFICE NO. 1 Aguila Road, Sevilla, City of San Fernando, La Union

NAME OF PROJECT: ESTABLISHMENT OF MULTI-CROP SEED PROCESSING BUILDING LOCATION: DA INREC DINGRAS STATION, DINGRAS, ILOCOS NORTE


COORDINATES: N <u>18°4'22.02"</u> E <u>120°41'20.29"</u>


TABLE OF CONTENTS	SHEET NO .:
VICINITY MAP & PERSPECTIVE VIEW	1
TABLE OF CONTENTS	2
FLOOR PLAN	3
FRONT ELEVATION	4
REAR ELEVATION	5
LEFT-SIDE ELEVATION	6
RIGHT-SIDE ELEVATION	7
SECTION A-A	8
SECTION B-B	9
FOUNDATION PLAN	10
ROOF BEAM LAY-OUT	11
COLUMN FOOTING DETAILS	12
CHB WALL DETAILS, & HALLWAY POST DETAILS	13
BEAM DETAILS	14


TABLE OF CONTENTS	SHEET NO .:
ROOF PLAN	15
ROOF FRAMING PLAN	16
TRUSS DETAILS	17
CEILING PLAN	18
SECTION C & D, LAVATORY & WATER CLOSET DETAILS	19
SCHEDULE OF DOORS AND WINDOWS	20
SCHEDULE OF TABLES AND CABINET	21
WATER DISTRIBUTION PLAN	22
RAIN PIPE LINE LAY-OUT	23
DRAINAGE SYSTEM PLAN	24
LIGHTING LAY-OUT	25
CONVENIENCE LAY-OUT	26
EMERGENCY LAY-OUT	27
SCHEDULE OF LOADS	28

101	PREPARED FROM THE OFFICE OF THE	PROJECT TITLE	DOFD I MA A	CHECKED & REVENED BY	RECOMMENDING APPROVAL	APPROVED	SHEET CONTENTS	SHEET NO.
an on Again			PREPARED BY	CHECKED	ALCONT CONTRACTOR		THELE OF CONTENTS	1 200
23-25 -	Faculty, of the Pressports	ESTABLISHMENT OF MULTI-CROP						2
	DEPARTNENT OF ASPICILTURE	SEED PROCESSING BUILDING		1/		(The)		
	CALINES BATAS STATION	(PHASE I)	Aundia	N		OMN & PASCHAL DVM		- 28
而而	Carnes, Brin, Starter	0.0000 0.0000	JOILENE O BUNJUBUNG ABE	MARK HARD G. PASTOR ABE	DENNIS TACTAD ABE	OK REDOWN BY CUTIVE OPECTOR		
Tant		DA - INVEST DIVISION STATION		OHER RINED	and some some time			


ma








m



cs CamScanner


FD-AED-002 Sav. 01, Eff. Date




P С D A В 7.00 4.00 500 Tubular 25 mm x 25 mm x 1 5 mm square bars space __ at 0.3 meters Horizontal and 0.4 m vertical Framed with 2"x 2"x _ Angle Bars (painted finished) FINSH ROOF FEAK LINE 210 TOP OF THE ROOF BEAR 0.50 FINISHED CELLING LINE 02 02 300 OFFICE FROM FFL C 0 2M TOP OF THE BEAN LINE ITT NATURAL DROUND LINE A NYZE COMPACTED FILL EDRING DE DRING DE DR meters Horizontal and 0.4 m vertical Framed with 2% 2%] Angle Bars (painted finished) door with fabricaled lock SECTION A-A 1 100 MTS SCALE CHECKED & REVEWED BY APPROVED SHEET CONTENTS REPARED FROM THE OFFICE OF THE PROJECT TITLE SHEET NO RECOMMENDING APPROVAL PREPARED BY SECTION A.A ESTABLISHMENT OF MULTI-CROP SEED PROCESSING BUILDING Republic of the Philippines DEPARTMENT OF AGRICULTURE 8 MARK HARRY & PASTOR, ABE OC REDIONAL EXECUTIVE DIRECTOR (PHASE I) DA INREC BATAC STATION 28 JOYLENES BUNGUNG ABE DENNIS LEACTAC ABE 1 DA - MREC DIVORAB STATION ATO FOR CREMATIONS 1 april

CS CamScanner


FD-AED-002 Rev. 01, Eff. Date: _____




FD-AED-002 Rev. 01, Eff. Date: _____





FD-AED-002 Rev. 01, Eff. Date




FD-AED-002 Rev. 01, Eff. Date:












FD-AED-002 Rev. 01, Elf. Date:



CamScanner

S

FD-AED-002 Bev. 01, Eff. Date

SHEET NO


17

28

HIP-02 (4 SETS) FOR BAR TOP AND BOTTOM CHORDS 200 100 100 100 100 100 100 111 | 100 | 100 | 100 | 10.11 HIP-02



USE 2"12"1" THK. ANGLE BAR FOR KING POST USE Z"XZ"E" THK ANGLE BAR



70 100 1 100 1 100 1 100

4.70

HT-02

0.99

FOR BAR TOP AND BOTTOM CHORDS USE 2"x2"x" THK. ANGLE BAR

HT-01 (8 SETS)

HT-02 (8 SETS) FOR BAR TOP AND BOTTOM CHORDS USE 2"12"1" THK ANGLE BAR FOR KING POST USE 2"12"1" THK ANGLE BAR

FOR VERT & DIAG. MEMBERS USE

FOR BAR TOP AND BOTTOM CHORDS USE T'XT'E THK ANGLE BAR

2"12"1" THK ANGLE BAR

HT-03 (8 SETS)

FOR KING POST USE

2"x2"x" THK ANGLE BAR

2"x2"x" THK ANGLE BAR

HT-04 (8 SETS)

FOR KING POST USE

2"x2"x" THK ANGLE BAR

2"x2"x" THK ANGLE BAR

RT-01 (8 SETS)

FOR KING POST USE TETE THK ANGLE BAR

FOR BAR TOP AND BOTTOM CHORDS

USE 2"12"2" THK. ANGLE BAR

FOR VERT & DIAG. MEMBERS USE 2"x2"x1" THK ANGLE BAR

FOR VERT & DIAG. MEMBERS USE

FOR VERT & DIAG. MEMBERS USE


FOR BAR TOP AND BOTTOM CHORDS USE 2"x2"x]" THK. ANGLE BAR

FOR KING POST USE

FOR VERT.& DIAG. MEMBERS USE 2"x2"x" THIC ANGLE BAR

2"12"1 THK ANGLE BAR

CamScanner CS




TRUSS-01



TRUSS-01 (3 SETS) FOR BAR TOP AND BOTTOM CHORDS USE 2"12"1" THE ANGLE BAR

FOR KING POST USE 712"x" THK ANGLE BAR


FOR VERT & DIAG. MEMBERS USE THE ANGLE BAR



HIP-01 (4 SETS) FOR BAR TOP AND BOTTOM CHORDS USE 2"x2"x" THK. ANGLE BAR

FOR KING POST USE 2121 THK ANGLE BAR


FOR VERT & DIAG. MEMBERS USE 2"x2"x" THK. ANGLE BAR



100 0 50 100 100 100 100


HT-03

HT-04



RT-01

Note > ALL TRUSSES MUST BE PAINTED (Double Coat)





SCALE

FD-AED-002 Ray 01, Eff. Date

TRUSS DETAILS

1 100 MTS





FD-AED-002 Rev. 01, Eff. Date:

CamScanner	
S	

	5	• GI PIPE AR CHAMBER • GI PIPE NIPLE SUPPLY CUTCHEON • GI PIPE W/ GLE VALVE	1° € G PIPE AR CHAMBER 1° € G PIPE WATER SUPPLY				
	l e r	PVC P TRAP GI PIPE WATER SUPPLY PVC WASTE STACK PVC WASTE STACK PVC PIPE	ESCUTCHEDN	SECTION D-D			
					Note: >Not included in	Phase I	
PREPARED FROM THE OFFICE OF THE Republic of the Propones DEPARENT OF ADRICULTURE	PROJECT TITLE ESTABLISHMENT OF MULTI-CROP SEED PROCESSING BUILDING	PREPARED BY	CHECKED & REVIEWED BY	RECOMMENDING APPROVA	APPROVED	SHEET CONTENTS BECTORICAD LAVATORY & ANTOR CLOSET OF MAS	SHEET NO
DAINREC BATAC STATION	(PHASE I) DA - HAREC DINGRAB BTATION	JOYLENE O BONGUBUNG ABE	MARK HARRY & PASTOR ABE	DENNIST TACTAC. ABE	DEN B PASCUAL DVM		28


eterieste

0


0

FD-AED-003 Rev. 01. Eff. Date


1005




FD-AED-002 Rev. 01. Eff. Date _____




FD AED 407 Ber 01, Eff Date




FD-AED-002 Rev. 01, Eff. Date _____




FD-AED-802 Rev. 01, Eff. Date: _____




FD-AED-002 Rev. 01, 877. Data:





FD-AED-002 Bev. 01. Eff. Date



DENERAL ELECTRICAL NOTES 1. All electrical works shall comply in accordance with these priors and specifications. Theopolicable provisions of the latest edition of the Philippine Dectrical Code (PEC). Therules and requiation of the local enforcing authority and the requirements of the localpower company. The electrical works shall be done under the immediate supervision allo duly registered electrical engineer.

 Wring method shall be as follows : A. Feeders and nears - intermediate metallic conduits. Lighting, power receptade - polyvinyl chloride conduit sch. 40 branch ckt. & auxiliary

3. All wires shall be copper and thermoplastic naulated type "the" unless otherwiseIndicated in the plan. The minimum size of wire for power and lighting circuit homerunshall be 3.5mm⁴ and insulated for 600 volts. Smallest raceway shall be 15mmetrade/nominal size.

 All outlet baxes shall be galvanized gage na. 16 deep types with factory knockouts

.5. All materials to be used shall be brand new and approved type for the particular locationand purpose of usage.

 Grounding system shall be provided to all lighting and power circuit as per PhilippineDectrical Code requirement

.7. Mounting height of wiring devices shall be as follows :

a. light switch - 1.20 m above finish floor
 b. convenience outlet - 0.30 m above finish

floor c. panel board - 1.50 m above finish floor

d, fire alarm station outlet - 1.50 m, above finish floor

e. push button outlet - 1.20 m above finish floor

f. fire clarm & vibrating bell - 0.30 m below ceiling

_						54	HEDI	LE U	r cu	Cin				PUTATION	-																	
28	1	cacur .			tion of the	06		And Street	-																				-			
				10	- 00	840				2.5	namin		_	-		The state of the state	-															
	100	-	1.0							•		-	-	5.486.	- 12	PLOT WHEN																
	100		- 64		-			× .				28	-	14782		121 mm																
	~	-	- 10			-	1			٠	- 18	-	-	5.4785			11.000 P															
	30		- 10			-	-			•	-		-	3.4780		Accession in the second																
	041		- 15				-		-	-	-		-86	1.000		Tank Track CV. same																
	0.01		10				-			_	-	~	-	****		All Second Loss																
	283		-		-	1.4.1	1			-	2,000	28	104	6.00D		The second second																
	087		-			(.e.)	1				150	~	3.000	1.180																		
	240		-			0.60	-		-		-		200	1.100		Party Transfer 200 million																
-	263		80		-		1				120	28	100	1.000		2.4 mm																
	-260			-			1				1940	-	-940			Participation and the second	14 mm #															
-	Carl Sc		Consult free		-		1				1940	-	-946	•			1															
-			INCRUMENT		7		1		-		-		1388	3.4782		1.1 million	14 mm-8															
-	301		4520		-	240	1			_	-	28					/0-m-0															
	1007		102			(-		_		-	155	-				10.00.0															
	187		S.Munuti? Fage				1				1942		1949	•		3-3 Normal Traces Traces 212 wattle	*															
_	_		104				1			_			1000	121.798																		
	100 A.M.			ling pales			-	NUMPER AND	-		-		10.0071	AND IT INC BY	in castro and																	
6, T)	10.00	···· 1.29.1.9					-		-			- 144	2-appendig	Tride Tride To: #		nic and																
	-	100						ACCR.		-		-44	> - minutes	Terry Trees Lot W	~																	

0	LED (RECCESS) PIN LIGHT 25WATTS
CT	COUNTER TOP OUTLET
WM	WATER HEATER
	1 WAY SWITCH IGANG
•••	SWAY SWITCH 2GANG
-9	PANEL BOARD
co	WICE SERIES OUTLET(CO/SPO)
6.	EMERGENCY LIGHT
\$	CIRCUIT HOME RUN
4	SERVICE LINE
ACU	AIRCONDITIONING UNIT
EXHST	EXHAUST FAN

SCHEDULE OF LOADS

FFL

Note: > Rough-in Electrical Works included in Phase I



D-AED-002 Rev. 01. Eff. Date



Republic of the Philippines Department of Agriculture Regional Field Office No.] City of San Fernando, La Union

SPECIFICATION AND SCOPE OF WORK

(PROJECT NAME: ESTABLISHMENT OF THE MULTI-CROP SEED PROCESSING BUILDING

LOCATION: DA-INREC, DINGRAS STATION, ILOCOS NORTE

BRIEF DESCRIPTION: ESTABLISHMENT OF 224 SQ. METERS

I. GENERAL REQUIREMENTS (Permits and Project Billboard) 1.00 Lot

- The contractor shall be responsible for securing all necessary permits related to the project, which shall include but not limited to building permits, demolition permit, etc.).
- All related documents shall be submitted to the End User.
- The contractor is responsible to secure and obtain information from the regulatory agencies in municipality for all and any other required permits not listed below. A copy of the required permits shall be submitted to the end user within 24 hours of obtaining such permits.
- Electrical permit and plans (if required by Building Official), is the contractor's responsibility.
- Health department approval and septic connections, contractor's responsibility.
 Contractor is required to check with the department to obtain information on the required plans and permits, if any.
- The new billboard design layout and dimension shall be install on a standard billboard, measuring 1200mm x 2440mm (4' x 8') using 12mm (1/2 inch) thick marine plywood or tarpaulin posted on 5mm (3/16 inch) marine plywood.
- For each building project, the billboard shall be installed in front of the project site.

II. CONSTRUCTION SAFETY AND HEALTH

1.00 Lot

Construction workers must be oriented, instructed and trained by the construction project manager to assure safe handling of equipment and of disposing waste. All employees must have protective equipment for the eye, face, feet and all crucial body parts when exposed to hazardous work procedures. A safety officer is required onsite for every ten units of heavy equipment to ensure proper handling.

Emergency health personnel and facilities are expected depending on the number of construction personnel.

III. MOBILIZATION AND DEMOBILIZATION

1.00 Lot

The Contractor shall provide all labor and equipment costs necessary to move personnel, equipment, supplies and incidentals to and from the Project Site, establish offices, buildings, and other facilities necessary for the work, obtain bonds, required insurance and any other preconstruction expenses necessary to perform the work. This section shall exclude the cost of construction materials.

IV. ESTABLISHMENT OF TEMPORARY FACILITY

Owner. operations from unauthorized entry, vandalism, or theft to a degree approved by the o Provide security and facilities to protect Work, existing facilities, and Owner's

persons. identified in individual specification sections, and to prevent entry of unauthorized for temporary heating and maintenance of required ambient temperatures accommodate acceptable working conditions and protection for Products, to allow Provide temporary insulated weather-tight closure of exterior openings to 0

V. DEMOLITION WORKS

2100 LS

This Item includes the demolition of the existing structure.

regulations related to demolition and disposal of these materials. licenses and permits, and shall comply with all Municipal, Provincial and Federal and notify the Engineer immediately. The Contractor shall obtain and pay for all structures or grades appear to be in danger, the Contractor shall cease operations structures to remain. If the safety of the structure being removed, or adjacent settlement or damage to adjacent structures, grades or portions of existing damage caused as a result of his actions. The Contractor shall prevent movement, adjacent to the construction site. The Contractor will be responsible for any loss or 2. The Contractor shall be fully responsible for ensuring safety in areas underlying and

3. Complete Demolitions

following criteria or as specified in the Special Provisions: from the Engineer. The existing structures shall be demolished to meet one of the Blasting will not be allowed for demolition without prior written approval

(a) The bottom of footing elevation, if indicated on the Drawings,

(b) The elevations as indicated on the Drawings,

elevation, or (c) An elevation of 1.0 meter below the existing or proposed ground

substructure unit is situated in (d) An elevation of 1.0 meter below the existing stream bed when a

Removal and Disposal of Demolished Materials.

. Tosu-bns allow to use any demolished materials like GI Sheets with any approval from the allowed on site without the written approval of the Engineer. The contractor is not Regulations and Acts. Storage of non-salvable materials and debris will not be an approved location, in accordance with the applicable Provincial and Municipal Drawings or Special Provisions. Demolition debris shall be properly disposed of at possible. All material shall be deemed non-salvable unless noted otherwise on the Contractor shall remove all demolished materials and debris from the site as soon as or railway right-of-way shall be immediately cleaned up by the Contractor. The Any debris that falls off the structures onto the underlying ground, roadway

1.00 Lot

JNINOSIOJ TIOS 'IA

VII. EARTHWORKS

The Contractor shall coordinate with other related trades through the engineer to avoid delay that may arise during the different phases of application of the termite control chemicals

This work shall be done by a trained personnel with a minimum two (2) years' experience for the proper execution of the works of this specification.

There are two (2) methods usually adopted in soil poisoning which are as follows. Other methods as recommended by the manufacturers and approved by the Engineer may also be used.

- Cordoning. This method is usually adopted when there is no visible evidence of termite infestation. Trenches in concentric circles, squares or rectangles are dug 150 mm to 220 mm wide and at least 1 m apart and applied with Type I working Solution at the rate of 8L/Im within the cordon area.
- 2. Drenching. When soil show termite infestation, this method shall be applied. The Building area shall thoroughly drench with Type I working Solution at the rate of 24 L/m2

m.u) £2.67

9'124'19 KC

This Specification covers the Earthworks including; the clearing and removal of all obstructions within the limit of earthworks; the excavation of all cuts, including excavation below final subgrade surface; the excavation of barrow areas benches and surfaces drainage facilities; the carting of the excavated materials to fill or waste; and construction of the fills and subgrade

VIII. REINFORCING STEEL BAR WORKS

- 1. All reinforcing bars shall be branded by the manufacturer with bar size and grade of steel, and certified mill reports shall be submitted for record. All reinforcement shall be placed in accordance with plans furnished by the Engineer. In case of any doubt or ambiguity in placing of steel, the contractor shall consult the Engineer whose decision shall be final in such cases.
- All reinforcing steel bars and tie wires to be used shall be new and free from rust, oil, defects, grease, or links.

The materials to be used are the following:

Tie wire # 16 RSB 10mm dia. Corrugated RSB 12mm Dia. RSB 12mm Dia.

TA-QB 000

IX. FORM & FALSE WORK

 Provide forms that will produce correctly aligned concrete. Column forms shall be checked for plumpness before concrete is deposited. Hand holes shall be provided in column forms at lowest points of pour lifts to render this space accessible for cleaning.

1 Lot

2. Joints in forms shall be horizontal or vertical. Lumber once used in forms shall be be nailed withdrawn and surfaces to be in contact with concrete shall be thoroughly wetted with water in advance of pouring. Woods to be used shall be

kin dried and treated with anti-termite chemical. And all lumber surfaces in contact with concrete and masonry shall receive one brush of bituminous paint contact with concrete and masonry shall receive one brush of bituminous paint immediately after the removal of the form, all projecting wires and bolts and other devices used for holding forms shall be cut off at least one-half centimeter other devices used for holding forms shall be cut off at least one-half centimeter beneath the finished surfaces. All holes and defects shall be thoroughly wetted beneath the finished surfaces. All holes and defects shall be thoroughly sa

other devices used for holding forms shall be cut off at least offerham community beneath the finished surfaces. All holes and defects shall be thoroughly wetted and then painted up solid with cement putty mortar of the same proportions as the mortar used in the body of the work. All parts protruding beyond the surfacing shall be treated in such manner as to effectively remove all the lines and marks impressed by the form works.

Forms shall be removed in a manner which will prevent damage to the concrete and shall not be removed in a manner which will prevent damage to the concrete support its own weight and any loads that may be placed on it. Side forms of beams and girders may be removed earlier than the bottom forms but additional posts or shoring must be placed under the beams or girders until they haveattained their strength. Forms shall not be removed until approval of the besign Engineer. Any repair of surface imperfections shall be performed at once and airing shall be started as soon as the surface is sufficiently hard to permit it without further damage.

5. Provide forms that will produce correctly aligned concrete. Column forms shall be be checked for plumpness before concrete is deposited. Hand holes shall be provided in column forms at lowest points of pour lifts to render this space

accessible for cleaning.
6. Joints in forms shall be horizontal or vertical. Lumber once used in forms shall be thoroughly wetted with water in advance of pouring. Woods to be used shall be kiln dried and treated with anti-termite chemical. And all lumber surfaces in contact with concrete and masonry shall receive one brush of bituminous paint.

7. Immediately after the removal of the form, all projecting wires and bolts and beneath the finished for holding forms shall be cut off at least one-half centimeter and then painted up solid with cement putty mortar of the same proportions as the mortar used in the body of the work. All parts protruding beyond the surfacing shall be treated in such manner as to effectively remove all the lines and marks impressed by the form works.

8. Forms shall be removed in a manner which will prevent damage to the concrete and shall not be removed until the concrete has attained sufficient strength to support its own weight and any loads that may be placed on it. Side forms of beams and girders may be removed earlier than the bottom forms but additional posts or shoring must be placed under the beams or girders until they have attained their strength. Forms shall not be removed until approval of the Design attaineet. Any repair of surface imperfections shall be performed at once and airing shall be started as soon as the surface is sufficiently hard to permit it without further damage.

X. CONCRETE WORKS (CLASS A)

.M.UJ 07.04

- 1. Fine aggregates shall be clean, well-graded, hard, natural sand or manufactured sand or a combination of both. The maximum size of the aggregates shall not be larger than three-fourths (3/4). Coarse aggregates shall be hard, durable, uncoated may organic matter. Water used in making the concrete mass shall reasonably clean, any organic matter. Water used in making the concrete mass shall reasonably clean, other deleterious substances.
- 2. Portland cement will be use for the concrete and for the steel reinforcement bar sizes are indicated on the drawings.
- 3. Hand mixing is strictly not allowed in case of emergency such as mixer breakdown during pouring operations and shall stop at the first allowed construction joint. Machine mix all materials in a mixer of approved size and type that will ensure uniform distribution of materials throughout the mass. Equip the mixer with a device for accurately measuring and controlling the amount of mixing time after all materials including water are in the mixing drum. Place the material in the mixer in such a way that the first batch of concrete materials shall contain sufficient excess of such a way that the first batch of concrete materials shall contain sufficient excess of cement, sand, and water to coat the inside of the drum without reducing the cement content of the mix to be discharged.
- 4. Convey and place the concrete mix to the place on final deposit by methods that will prevent segregation by re-handling, and flowing of loss materials. There will be no vertical drop greater than 1.50m except where suitable equipment is provided to prevent segregation and where specifically authorized by the Project Engineer. Concrete shall be worked readily into the corners and angles of the forms and anound all reinforcements and embedded items without permitting materials to segregate. Concrete shall be deposited as close as possible to its final position so that flow within the mass does not exceed two meters and consequently, is directed, the discharge shall be so controlled that the concrete may be effectively into horizontal layers not exceeding 30 centimeters in depth within the maximum later be and entimeters in depth within the maximum later be accompleted.

In placing concrete through reinforcement, care shall be taken that no segregation of the coarse aggregate occurs. On the bottom slab, where the congestion of steel near the forms makes placing difficult, a layer of mortar of the same cement-sand ratios as used in concrete shall be first deposited to cover the surfaces.

- 5. Secure inspection and approval of all forms and placements of reinforcements prior to concreting. Clean all the forms, reinforcement, and other materials that will come into contact with the concrete. On construction joints, roughen, clean and remove all loose particles and foreign matter. Slush the surface with a rich grout coat of cement. Pour the concrete before the grout has set.
- Keep concrete continuously wet for at least 7 days after placing. Begin curing as soon as concrete has attained the initial set. Complete repair within 24 hours after removal of forms.

XI. MASONRY WORKS

M.92 50.26.M

18 SETS

1. The cells of the concrete hollow blocks to be laid shall be filled with 1:3 cement mortars (1 part Portland cement and three parts sand, by volume). They shall be reinforced with 10mm diameter horizontal deformed bars at 400mm 0.C. Unless specified on the elevation drawing, the cement plaster mixture for masonry walls shall be 1:3 (1-part cement, and 3 parts sand, by volume).

Minimum Compressive Strength of Concrete Hollow Blocks is as follows:

isd 057	Class B
isd 006	A sselD

- 2. Held in place by horizontal and vertical reinforcing and interior surfaces of hollow blocks shall be thoroughly soaked with water before laying. Hold all units in storage for a period not less than 28 days (including curing period) and do not deliver prior to that time unless strength and other tests indicate compliance with these specifications.
- 3. Mortar aggregates shall be natural river sand, clean and free from soluble slats and organic matter, graded from fine to coarse, compatible with the thickness of joints in which used. Mix mortar from three to five minutes in such quantities as are needed for immediate use.
- 4. Lay units in common bond with uniform causing and jointing. All concrete block jointing shall be of uniform thickness. Butler vertical and horizontal jointing full with mortar. Bond course and corners and intersections and tie to abutting walls. Do not lay cracked, broken or deface blocks. Cut edges shall be clean and sharp. The first row of block shall be properly and thoroughly anchored to the concrete columns, walls of slabs. Course shall be laid straight and well plumbed.

Plastering

The Plastering of CHB wall should be 20mm thick using Portland Cement and sand. The mixture ratio should be (1:2).

XII. DOORS AND WINDOWS WORKS

swobniW (EW)	munimung Glass Window with Black Aluminum Frame, Casement Type (0.5 x 0.8 M) grills
swobniW (SW)	4 Panel Glass Window with Black Aluminum Frame, Casement Type (1.2 X 1.5 M) (grills Included)
swobniW (IW)	4 Panel Glass Window with Black Aluminum Frame, Casement Type (1.2 X 2M) Grills included
(D2) Entrance/Exit	Single Panel Swing Door with Steel Door Jambs
(D1) Comfort Rooms	Powder Coated Aluminum 2 doors with Glass Detailing with Door Jambs

papuloni

SXNOW WORKS

6,548.16 KG

.M.Q2 27.762

Use 2"x3"x 1.5mm thk C-Purlins as Roof Framing.

Use Fascia Board 2" x 6" x 1.5 C-purlins

Use 25 mm x 25 mm x 1.5 mm tubular

Use 2"x2"x1/4" x6m thk Angle Bar as Strut Beam.

All materials used shall be in paint finish. No welded joints shall be left unpainted or exposed.

XIV. ROOF WORKS

- Use 5mm thick RIB Type Roof Pre-painted
- Use 16" x 8" x 5mm Ridge Roll
- Use 24" x 8' x 5mm Gutter

XV. PLUMBING WORKS

All plumbing and sanitary work for the building will be done in accordance with the provisions of the National Plumbing Code of the Philippines and such other regulations prescribed by the plumbing and sanitary regulations of the municipality.

- PIPE LAYING pipe in trenches shall be laid true to line and grade on a stable and suitable prepared foundation, each section of the pipe being bedded and bottom of the trench shaped to fit the lowest quadrant of the pipe circumference. Pipes to be used for water lines must be PPR type.
- 2. INSTRLLATION Install plumbing fixtures free and open to afford easy access for cleaning. Install plumbing fixture as indicated on drawings, furnishing all brackets, cleats, plates and anchors required to support fixtures rigidly in place. Install all fixtures and accessories in locations directed in accordance with manufacturer's instructions, minimizing pipe fittings. Protect items with approval means to maintain perfect conditions. Remove worked damage or defective and replace with perfect work without extra cost to end user. Horizontal pipes shall be supported by perfect work without extra cost to end user. Horizontal pipes shall be supported by well-secured strap hangers.
- Provide in each urinal, water closet with fittings, and shower with faucet complete
 with fittings and all incidental materials of local procedures or equally good quality.
 Provide in each bathroom and, toilet as provided with a standard lavatory, with complete fittings. Shower heads shall be provided spray type, shivel head, chrome plated with valve. Provide and set in place tissue holders for each bathroom. Provide and set in place tissue holders for each bathroom. Provide and set in place tissue holders for each bathroom. Provide and set in place tissue holders for each bathroom.
- 3. ROUGH-IN Provide correctly located opening of proper sizes where required in walls and floors for passes of pipes. All items to be embedded in concrete shall be thoroughly cleaned and free from all rust, scale and paint. All changes in pipe size on soil wash and draft lines shall be provided with reducing fittings. High corrosive natural reducers. For changes in pipe sizes, provide reducing fittings. High corrosive natural ground within site shall be taken into account by the plumber. Protective features shall be installed underground.

1 Lot



- polished. Panel boards to be used shall be flush mounted when located in areas that and usable condition, with painted surfaces unblemished and polished surfaces re professional manner. Leave all exposed parts of the electrical works in a neat, clean panel boards or circuit breakers. Install all equipment and materials in a neat and The builder shall install all materials as indicated in the drawings and the necessary
- Electrical Ordinance of the Municipality, and rules and regulations of other of the Latest Philippine National Electric Code and the rules and regulations of the All electrical works for the building will be done in accordance with the provisions
- Electrical Code and its respective implementing rules and regulations together with All works shall follow the pertinent provisions of the latest edition Philippine governing authorities.
- The work shall be of the highest quality and accordance with the latest standards of requirement of the local power company.
- Electrical Engineer or a Master Electrician in conformity with the field of The work shall be under the responsible charge of/or supervision of a duly licensed engineering practices
- determined, but accuracy is guaranteed and field verification of all dimension is Data presented on this plan are as accurate as preliminary survey that planning can competence of each grade.
- Where field condition requires deviations from plan, all suggested the supervising but the levels will be governed by field condition. directed of the actual execution of the work this plan is for guidance and assistance,

authorities to avoid unnecessary conflict with other trade should first check change.

SEED PROCESSING BUILDING (PHASE I) at DA-INREC Dingras Station, llocos Norte The above specifications are intended for the ESTABLISHMENT OF THE MULTI-CROP

ААКК НАКК С. РАЗТОК, АВЕ Noted by:

Prepared by:

Engineer III OTTENE C, BUNGUBUNG, ABE UNTHUL

STATEMENT OF ALL ON-GOING GOVERNMENT AND PRIVATE CONTRACTS, INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED, IF ANY, WHETHER SIMILAR OR NOT SIMILAR IN NATURE AND COMPLEXITY TO THE CONTRACT TO BE BID

CONTRACT TO BE BID:	
BUSINESS NAME:	
BUSINESS ADDRESS:	

Name of Contract/ Location Project Cost	a. Owner's Name b. Address	NATURE OF	CONTRACTOR'S	ROLE	a. Date Awarded b. Date Started	% Accompl		Value of Outstanding Works
	c. Telephone Nos.	WORK	Description	%	c. Date Completion	Planned	Actual	VVOLKS

Note: This statement shall be supported with:

- 1. Notice of Award and/or Contract
- 2. Notice to Proceed issued by the Owner

Submitted by:

Name of Representative of Bidder Position Date: _____

DEPARTMENT OF AGRICULTURE-REGIONAL FIELD OFFICE 1

NAME OF PROCURING ENTITY

Project Reference No.: _	
Name of the Project:	
Location of the Project:	

Statement identifying the Bidder's Single Largest Completed Contract (SLCC) similar in nature

Contract to be Bid: ______ Business Name: ______ Business Address: ______

Name of Client	a. Owner's Nameb. Addressc. Telephone Nos.	Title of the Project in the Contract	Nature of Work	a. Date Awarded b. Contract Effectivity c. Date Completed	Contractor's Rol (whether sole co subcontractor, c in a JV)	ontractor, or partner	a. Total Contract Value at Awardb. Total Contract Value at Completion	
					Description	%	c. Contract Duration	
<u>Government</u>								
<u>Private</u>								

Note: This statement shall be supported with:

- 1. Notice of Award
- 2. Notice to Proceed
- 3. Contract
- 4. Owner's Certificate of Acceptance OR Constructors Performance Evaluation Summary (CPES) Rating

Submitted by :_____

(Printed Name and Signature)

Designation : _____

Date :_____

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES) CITY OF) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: DEPARTMENT OF AGRICULTURE REGIONAL FIELD OFFICE 1 City of San Fernando, La Union

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITSAUTHORIZED REPRESENTATIVE [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

DEPARTMENT OF AGRICULTURE-REGIONAL FIELD OFFICE 1 NAME OF PROCURING ENTITY

Standard Form Number: SF-INFR-48 Revised on: August 11, 2004 Contract Reference No.: ______ Name of the Contract: _____ Location of the Contract: ______

(LIST) Qualification of Key Personnel Proposed to be Assigned to the Contract

Business Address: _____

		Project Manager/Engineer	Materials Engineer	Foreman	Construction Safety and Health Personnel	Other positions deemed required by the Applicant for the project
1	Name					
2	Address					
3	Date of Birth					
4	Employed since					
5	Experience					
6	Previous Employment					
7	Education					
8	PRC Licence					
Min	imum Requirements	: Project Manager/Engin : Materials Engineer : Foreman : Foreman	eer			
Note	e	: Attached individual res	sume and PRC License c	of the (professional)	personnel	
Sub	mitted by :					
Desi Date	ignation :	ame and Signature)				

One of the requirements from the bidder to be included in its Technical Envelope is a list of contractor's key personnel (viz, Project Manager, Project Engineers, Materials Engineers and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data (including the key personnel signed written commitment to work for the project once awarded the contract).

DEPARTMENT OF AGRICULTURE-REGIONAL FIELD OFFICE 1

NAME OF PROCURING ENTITY

Contract Reference Number Name of the Contract Location of the Contract

1.	Name	:		
2.	Name and Address of Owner	:		
3.	Name and Address of the Owner's Engineer (Consultant)	:		
3-4	 Indicate the Features of Project (particulars of the project Components and any other particular Interest connected with the project): 			
5.	Contract Amount Expressed in Philippine currency	:		
6.	Position	:		
7.	Structures for which the employee was responsible :			
8.	Assignment Period	:	from to	_ (months) _ (months)

Name and Signature of Employee

It is hereby certified that the above personnel can be assigned to this project, if the contract is awarded to our company.

(Place and Date)

(The Authorized Representative)

One of the requirements from the bidder to be included in its Technical Envelope is a list of contractor's key personnel (viz, Project Manager, Project Engineers, Materials Engineers and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data (including the key personnel signed written commitment to work for the project once awarded the contract). <u>SF-INFR-47b</u>

DEPARTMENT OF AGRICULTURE-REGIONAL FIELD OFFICE 1 NAME OF PROCURING ENTITY

Contract Reference Number Name of the Contract Location of the Contract

Standard Form Number: SF-INFR-47 Revised on: August 11, 2004

KEY PERSONNEL (FORMAT OF BIO-DATA

Give the detailed information of the following personnel who are to be assigned as full-time field staff for the project. <u>Fill up a form for each person</u>.

- Authorized Managing Officer/Representative
- Sustained Technical Employee

1.	Name	:	
2.	Date of Birth	:	
3.	Nationality	:	
4.	Education and Degrees	:	
5.	Specialty	:	
6.	Registration	:	
7.	Length of service with the Firm	:	
8.	Years of Experience	:	

9. If item 7 is less than ten (10) years, give name and length of service with previous employers for a ten (10)-year period (attach additional sheet/s), if necessary:

Name and Address of employer	Length of Service
	year(s) from to
	year(s) from to
	year(s) from to

10. Experience:

This should cover the past ten (10) years of experience. (Attach as many pages as necessary to show involvement of personnel in projects using the format below).

One of the requirements from the bidder to be included in its Technical Envelope is a list of contractor's key personnel (viz, Project Manager, Project Engineers, Materials Engineers and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data (including the key personnel signed written commitment to work for the project once awarded the contract). <u>SF-INFR-47a</u>

DEPARTMENT OF AGRICULTURE-REGIONAL FIELD OFFICE 1 NAME OF PROCURING ENTITY

Contract Reference Number Name of the Contract Location of the Contract

Standard Form Number: SF-INFR-46 Revised on: August 11, 2004

Key Personnel's Certificate of Employment

Issuance Date

<u>DIR. NESTOR</u> <u>Position of the Head of the Procuring Entity</u> <u>DEPARTMENT OF AGRICULTURE REGIONAL FIELD OFFICE 1</u> <u>CITY OF SAN FERNANDO, LA UNIONO</u>

Dear Sir/Madame:

I am <u>(Name of Nominee)</u> a Licensed _____ Engineer with Professional License No. _____ issued on <u>(Date of Issuance)</u> at <u>(place of issuance)</u>.

I hereby certify that <u>(Name of Bidder)</u> has engaged my services as <u>(designation)</u> for <u>(name of the Contract)</u>, if awarded to it.

As <u>(designation)</u>, I supervised the following completed projects similar to the contract under bidding:

NAME OF PROJECT	OWNER	COST	DATE COMPLETED
	·		
At present, I am supervisi	ng the following projec	ts:	
NAME OF PROJECT	OWNER	COST	DATE COMPLETED

In case of my separation for any reason whatsoever from the above-mentioned contractor, I shall notify the <u>(Name of the Procuring Entity)</u> at least twenty one (21) days before the effective date of my separation.

As <u>(Designation)</u>, I know I will have to stay in the job site all the time to supervise and manage the Contract works to the best of my ability, and aware that I am authorized to hanle only one (1) contract at a time.

I do not allow the use of my name for the purpose of enabling the above-mentioned Contractor to qualify for the Contract without any firm commitment on my part to assume the post of (Designation) thereof, if the contract is awarded to him since I understand that to do so will be a sufficient ground for my disqualification as (Designation) in any future <u>(Name of the</u> <u>Procuring Entity)</u> bidding or employment with anyContractor doing business with the <u>Name of</u> <u>the Procuring Entity</u>.

(Signature of Engineer)

DRY SEAL

Republic of the Philippines)) S.S.

 SUBSCRIBED AND SWORN TO before me this ______ day of ______ 2022 affiant

 exhibiting to me his/her Residence Certificate No. ______ issued on ______

 at _______.

Notary Public Until December 31, 20

Doc. No. _____ Page No. _____ Book No. _____ Series of _____

One of the requirements from the bidder to be included in its Technical Envelope is a list of contractor's key personnel (viz, Project Manager, Project Engineers, Materials Engineers and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data (including the key personnel signed written commitment to work for the project once awarded the contract). <u>SF-INFR-46a</u>

Standard Form Number: SF-INFR-49 Revised on August 11, 2004

LIST OF EQUIPMENT, OWNED OF LEASED and/or under PURCHASE AGREEMENT, PLEADGED TO THE PROPOSED PROJECT

Description	Model/Year	Capacity/ Performance/	Plate No.	Motor No./ Body No.	Location	Condition	Proof of Ownership/
		Size					Lessor or Vendor

List of minimum equipment required for the project

Submitted by : __________(Print name and affix signature)
Designation : _______

Date :_____

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by</u> <u>relation, membership, association, affiliation, or controlling interest with another</u> <u>blacklisted person or entity as defined and provided for in the Uniform Guidelines</u> <u>on Blacklisting:</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the

TechnicalWorking Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.
 - **IN WITNESS WHEREOF**, I have hereunto set my hand this ____ day of ____, 20___ at ____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

COMPUTATION OF NET FINANCIAL CONTRACTING CAPACITY (NFCC)

Summary of the Applicant Supplier's/Distributor's assets and liabilities on the basis of the attached Income Tax Return and Audited Financial Statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent for the immediately preceding year.

		Year 20
1	Total Assets	
2	Current Assets	
3	Total Liabilities	
4	Current Liabilities	
5	Net Worth (1-3)	
6	Net Working Capital (2-4)	

The Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, based on the above data is calculated as follows:

NFCC = [(Current asset minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started

Or,

If the prospective bidder opts to submit a Committed Line of Credit (CLC), it must be at least equal to ten percent (10%) of the ABC to be bid and shall be confirmed or authenticated by a local universal or commercial bank.

Name of Bank ______ Amount _____

Herewith attached are certified true copies of the Income Tax Return and Audited Financial Statement Stamped "RECEIVED" by the BIR authorized collecting agent for the immediately preceding year.

Submitted by:

Name of Supplier/Distributor/Manufacturer

Printed Name and Signature of Authorized Representative Date:

Bid Form for the Procurement of Infrastructure Projects [shall be submitted with the Bid]

BID FORM

Date: _____ Project Identification No.: _____

To: **DEPARTMENT OF AGRICULTURE REGIONAL FIELD OFFICE 1** *City of San Fernando, La Union*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: [insert name of contract];
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: *[insert information]*;
- d. The discounts offered and the methodology for their application are: [insert information];
- e. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates,
- f. Our Bid shall be valid within the period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines12 for this purpose;
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.

- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- I. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	